

FAIL

SUBMITTER FOUR H FASHIONS LTD.



**STYLE
NUMBER**

/

**PRODUCT
DESCRIPTION**

Ladies lace thong.

**EXECUTIVE
SUMMARY**

The GRAFFITI WALK DOES NOT MEET the below requirement(s):

1. Labeling review: fiber (16 CFR 300/303)
2. Fiber content analysis (AATCC 20-13/AATCC 20A-14)

The CORAL ESCAPE MEET all the tested requirement(s).

REMARKS

The submitted sample is not applicable for

- Total Pb in clothing (CA Prop 65)
- Total lead in surface coating (CPSC-CH-E1003-09.1)

**TECHNICAL
QUESTIONS**

Uttam Kumar
 Directline # +88-01755563469
 Email : uttam.kumar@bd.bureauveritas.com

SIGNATURES BUREAU VERITAS

CONSUMER PRODUCTS SERVICE (BANGLADESH) LTD.

ASM Kazi Mostofa Jamal
 Manager, Reporting

**GENERAL
INFORMATION**

Khondoker Sakib Ul Alam
 Directline # +88-01755563492
 Email: khondoker.sakibul@bd.bureauveritas.com



**BUREAU
VERITAS**

Test Report: (6818)319-0433
J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018



PRODUCT PACKAGE NO.	181409
JCP SUBDIVISION NO.	213
LOT NO.	3000, 3108
NO. OF WORKING DAY	4
REPORT EXPIRATION DATE	NOT APPLICABLE
BRAND NAME	FLIRTITUDE
COLOR SUBMITTED	A: GRAFFITI WALK, B: CORAL ESCAPE
COUNTRY OF ORIGIN	BANGLADESH
PHASE	PRODUCTION
MILL FABRIC / FLS ID	L1908
SEASON / YEAR	SPRING / 2019
MILL NAME	Fujian Bailong
MILL NO.	M
SUPPLIER NAME	FOUR H FASHIONS LTD.
SUPPLIER NO.	762328
FACTORY NAME	NAFISA APPAREL LTD.
FACTORY NO.	F21613
AGE RANGE	Adult Women (Over 12 yrs)
FABRIC WEIGHT	/
GARMENT WEIGHT (SWEATER ONLY)	/
FABRIC COUNT	/
FABRIC TYPE	A: Knit
FABRIC FINISH	/
MATERIAL WEIGHT	/
UPHOLSTERY FABRICS END USE	/
RESIN ADDED	/
TRIM / COMPONENT MATERIAL CONTENT	/
ITEM NO.	2133000
PROTOCOL STAR LEVEL	Level 3
RETEST	No



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

SPECIAL CLAIM(S) FOR HANGTAG & PERFORMANCE	NONE
PROTOCOL(S) USED	JCPY-SL-PTCL-00501.02-USA-3 STAR-ADDITIONAL COLOR FOR APPAREL GARMENT ADULT-V18, JCPY-AN-PTCL-06572-USA-CALIFORNIA PROPOSITION 65-V35, JCPY-SL-PTCL-00804.02-USA-3 STAR-KNIT OR WOVEN UNDERGARMENT ADULT PRODUCTION-V22, CPSD-AN-PTCL-08443-USA-3 STAR-NON CPSIA REQUIREMENTS SUPPLEMENT-V10
SUPPORTING DOCUMENT FOR CLAIM(S)	NO
PREVIOUS FPU / PROTOTYPE SEAM REPORT # (FOR GPU TESTING)	/
SUBMITTED SAMPLE SIZE	A: 04 Pcs with all components, B: 04 Pcs with all components
PRODUCT TYPE	APPAREL
TEST REQUESTED	Full Package (Sample A), Additional Color (Sample B)
PREVIOUS REPORT NO.	(6818)311-0176
FULL PACKAGE FABRIC REPORT NO.	(6818)311-0176
FULL PACKAGE PRODUCTION REPORT NO.	/
SUPPLIER / MILL REPORT NO. (IF AVAILABLE FROM ACCREDITED SUPPLIER / MILL)	/
SUBMITTED FIBER CONTENT	A: 90% Nylon 10% Spandex* (As per garment label)
ACTUAL FIBER CONTENT	A: Refer to report no.: (6818)311-0176 & based on test result: Body: 88.8% Nylon 11.2% Spandex Gusset Lining: 100% Cotton
SUGGESTED FIBER CONTENT	A: Body: 90% Nylon 10% Spandex Gusset Lining: 100% Cotton
SUBMITTED CARE INSTRUCTION(S)	 (As per Garment Label)
TARGETED CARE INSTRUCTION(S)	/
SUGGESTED CARE INSTRUCTION(S)	Refer to report no.: (6818)311-0176 & based on test result  Sample B: care label is not recommended due to additional colorway package.
REVISION REASON	/



BUREAU VERITAS

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Labeling review: supplier number (CPSD-GB-01057-MTHD)			
Graffiti Walk			PASS
JCPY-SL-804.02-USA-3 Star-V22 Verify Presence of 6-digit supplier number on the Garment label.		COMPLY	
Labeling review: fiber (16 CFR 300/303)			
Graffiti Walk			FAIL
JCPY-SL-804.02-USA-3 Star-V22 Must Be Visible at Point of Sale.		comply	
If garment label is not visible through packaging, fiber content must be repeated on packaging.		N/A	
Generic fiber name must be used and the contents spelled correctly and listed in descending order of predominance.		Not comply* (Due to no claim for Gusset Lining in garments)	
Cotton Logo presence on label correctly.		N/A	
Must be in English.		comply	
Fail Reason(s):			
The Sample(s) GRAFFITI WALK : FAIL A:The sample exhibit unsatisfactory result in Labeling review: fiber test due to no claim for Gusset Lining in garments.			
Labeling review: care (16 CFR 423)			
Graffiti Walk			PASS
JCPY-SL-804.02-USA-3 Star-V22 ASTM care symbols or wording in English can be used for care instructions.		comply	
Must be permanent & comply regulations. Visible through packaging or repeated on packaging.		N/A	
Labeling review: country of origin (16 CFR 300/303, 19 CFR 134.11)			
Graffiti Walk			PASS
JCPY-SL-804.02-USA-3 Star-V22 Must be on front side of label in English, not be covered or obscured by any other label.		Provided	
Must be securely attached, located in conspicuous and readily accessible.		Provided	
Must be consistent with that on the product label.		N/A See remark	
Must be in English and securely attached.		N/A See remark	
Must be stated in comparable size and close proximity.		N/A See remark	
Must be visible at point of purchase.		N/A See remark	
Remark(s):			
A:No packaging was received			
Labeling review: RN# or WPL # or company name (16 CFR 300/303)			
Graffiti Walk			PASS
JCPY-SL-804.02-USA-3 Star-V22 Must be visible at point of sale. Report actual.		Present (RN#93677)	



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Formaldehyde in textile (JIS L1041:2011)			
	JCPY-SL-501.02-USA-3 Star-V18 Per client, skin-contact fabrics & trims shall not exceed 1 of below formaldehyde limits: -Infant & children aged 3 or less(Abs 0.05); -Others(75 ppm)	Meet	PASS

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I004	Dull pink decorative mesh body fabric (B)	Body	B
I005	Dull pink decorative mesh waist fabric (B)	at waist)	B
I009	Dull pink elastic (at leg opening) (B)	(at leg opening)	B

Test Item(s)	Type(s)	Unit(s)	Req.	Result(s)	Conclusion
I004	II	mg/kg	75	Not Detected	Pass
I005	II	mg/kg	75	Not Detected	Pass
I009	II	mg/kg	75	Not Detected	Pass

Formaldehyde spot test on textile (Qualitative analysis)

	JCPY-SL-501.02-USA-3 Star-V18,JCPY-SL-804.02-USA-3 Star-V22 Per client, formaldehyde spot test(s) on certain fabric(s) and trim(s) that come into contact with skin for adult & children over 36 months shall have negative result(s).	Meet	PASS
--	---	------	------

Item / Component Description(s)	Location(s)	Style(s)	Result(s)	Conclusion
Black crotch lining fabric (A)	at crotch	A	Negative	Pass
Dull pink crotch lining fabric (B)	at crotch	B	Negative	Pass
Dk.pink/grey print with white label (at waist)	(at waist)	A,B	Negative	Pass
Black elastic (at leg opening) (A)	(at leg opening)	A	Inconclusive (fiber Dissolving)	Data
Dull pink elastic (at leg opening) (B)	(at leg opening)	B	Inconclusive (fiber Dissolving)	Data

pH in textile (AATCC 81-16)

	JCPY-SL-501.02-USA-3 Star-V18 Per client, pH value of textiles or textile components shall within 1 of below limits: - White (5.5 to 7.0); or - Other than white (5.0 to 9.0)	Meet	PASS
--	--	------	------

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I004	Dull pink decorative mesh body fabric (B)	Body	B
I005	Dull pink decorative mesh waist fabric (B)	at waist)	B

Test Parameter(s)	Unit(s)	Result(s)				Requirement(s)
Test Item(s)	--	I004	I005	--	--	--
Type	--	II	II	--	--	--
Temperature of Extracting Solution	°C	24.2	24.2	--	--	--
pH Value of Aqueous Extract	--	6.7	7.1	--	--	5 to 9
Conclusion	--	Pass	Pass	--	--	--



BUREAU VERITAS

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Phthalates in apparel & belt (CA Prop 65)			
	Accessible PVC/soft plastic/vinyl/synthetic leather of apparels & belts that are not for children = 12 shall have = 0.1% each of BBP, DBP & DEHP. Labeling is not allowed.	Meet	PASS

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I008	Black elastic (at leg opening) (A)	(at leg opening)	A
I009	Dull pink elastic (at leg opening) (B)	(at leg opening)	B

Test Item(s)	Result(s) [Unit in %]		Conclusion
	Detected Analyte(s)	Concentration	
I008 + I009	Not Detected	Not Detected	Pass

Key(s) :

Detection Limit (%) - BBP 0.005 ; DBP 0.005 ; DEHP 0.005

Remark(s):

- This requirement incorporates California Proposition 65 (CA Prop 65) settlement(s) of San Francisco Superior Court Case Number(s) CGC-10-497729 and CGC-10-498981 and Marin Superior Court Case Number(s) CIV-1105882.
- Belts and apparels include coats, jackets, pants, aprons, rainwear, gloves and headwear with the exclusion for sauna suits. Decals and attachments are also included.
- Test Item(s) was (were) extracted by organic solvent and analyzed by Gas Chromatograph Mass Spectrometer (GC-MS) or Liquid Chromatograph Mass Spectrometer (LC-MS).
- The list of phthalates is summarized in below table.
- Acceptable documentation is required to verify the material type(s) as recommended by Bureau Veritas Consumer Products Services, Inc.
- If no or unacceptable documentation is provided by client, Beilstein test(s) is (are) required to conduct on all hard plastic substrates in confirming the presence of polyvinyl chloride (PVC).

List of Phthalates [Phthalates in apparel & belt (CA Prop 65)] :

Number	Name of Analyte(s)	CAS-Nr.	Number	Name of Analyte(s)	CAS-Nr.
1	Butyl benzyl phthalate (BBP)	85-68-7	3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7
2	Di-n-butyl phthalate (DBP)	84-74-2	--	--	--

CAS-Nr. = Chemical Abstracts Service Registry Number

Formaldehyde in textile (JIS L1041:2011)

	JCPY-SL-804.02-USA-3 Star-V22 Per client, skin-contact fabrics & trims shall not exceed 1 of below formaldehyde limits: -Infant & children aged 3 or less(Abs 0.05); -Others(75 ppm)	Meet	PASS
--	---	------	------

Test Item(s)	Test Item / Test Component Description(s)	Location(s)	Style(s)
I001	Black/white decorative mesh body fabric (A)	Body	A
I002	Black decorative mesh waist fabric (A)	at waist	A
I008	Black elastic (at leg opening) (A)	(at leg opening)	A

Test Item(s)	Type(s)	Unit(s)	Req.	Result(s)	Conclusion
I001	II	mg/kg	75	Not Detected	Pass
I002	II	mg/kg	75	Not Detected	Pass
I008	II	mg/kg	75	Not Detected	Pass



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
pH in textile (AATCC 81-16)			
	JCPY-SL-804.02-USA-3 Star-V22 Per client, pH value of textiles or textile components shall within 1 of below limits: - White (5.5 to 7.0); or - Other than white (5.0 to 9.0)	Meet	PASS

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Black/white decorative mesh body fabric (A)	Body	A
I002	Black decorative mesh waist fabric (A)	at waist	A

Test Parameter(s)	Unit(s)	Result(s)					Requirement(s)
Test Item(s)	--	I001	I002	--	--	--	--
Type	--	II	II	--	--	--	--
Temperature of Extracting Solution	°C	24.2	24.2	--	--	--	--
pH Value of Aqueous Extract	--	6.5	5.9	--	--	--	5 to 9
Conclusion	--	Pass	Pass	--	--	--	--



BUREAU VERITAS

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018

Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Flammability of clothing textiles (16 CFR 1610)			
Criteria	JCPY-SL-804.02-USA-3 Star-V22 (All colors) Class 1		PASS
Graffiti Walk, BODY			
Classification	<p>IF SAMPLE FALLS UNDER SPECIFIC EXEMPTIONS AS LISTED BELOW, THE REPORT SHOULD BE RATED AS A PASS AND THE SPECIFIC EXEMPTION SHOULD BE NOTED IN THE REPORT.</p> <p>EXEMPT DUE TO FABRIC WEIGHT: PLAIN SURFACE WITH >2.6 OZ/SQ.YD. THE SUBMITTED SAMPLE(S) IS(ARE) EXEMPT FROM FLAMMABILITY TESTING IN ACCORDANCE WITH 16 CFR 1610.1(D) WHICH STATES:</p> <p>SPECIFIC EXEMPTIONS</p> <p>EXPERIENCE GAINED FROM YEARS OF TESTING IN ACCORDANCE WITH THE STANDARD DEMONSTRATES THAT CERTAIN FABRICS CONSISTENTLY YIELD ACCEPTABLE RESULTS WHEN TESTED IN ACCORDANCE WITH THE STANDARD. THEREFORE, PERSONS AND FIRMS ISSUING AN INITIAL GUARANTY OF ANY OF THE FOLLOWING TYPES OF FABRICS, OR OF PRODUCTS MADE ENTIRELY FROM ONE OR MORE OF THESE FABRICS ARE EXEMPT FROM ANY REQUIREMENT FOR TESTING TO SUPPORT GUARANTIES OF THOSE FABRICS.</p> <p>1. PLAIN SURFACE FABRICS, REGARDLESS OF FIBER CONTENT, WEIGHING 2.6 OUNCES PER SQUARE YARD OR MORE; AND</p> <p>2. ALL FABRICS, BOTH PLAIN SURFACE AND RAISED-FIBER SURFACE, REGARDLESS OF WEIGHT, MADE ENTIRELY FROM ANY OF THE FOLLOWING FIBERS OR ENTIRELY FROM COMBINATION OF THE FOLLOWING FIBERS: ACRYLIC, MODACRYLIC, NYLON, OLEFIN, POLYESTER, WOOL.</p>		
Criteria	JCPY-SL-501.02-USA-3 Star-V18 (All colors) Class 1		
Coral Escape, BODY			
Classification	<p>IF SAMPLE FALLS UNDER SPECIFIC EXEMPTIONS AS LISTED BELOW, THE REPORT SHOULD BE RATED AS A PASS AND THE SPECIFIC EXEMPTION SHOULD BE NOTED IN THE REPORT.</p> <p>EXEMPT DUE TO FABRIC WEIGHT: PLAIN SURFACE WITH >2.6 OZ/SQ. YD. THE SUBMITTED SAMPLE(S) IS(ARE) EXEMPT FROM FLAMMABILITY TESTING IN ACCORDANCE WITH 16 CFR 1610.1(D) WHICH STATES:</p> <p>SPECIFIC EXEMPTIONS</p> <p>EXPERIENCE GAINED FROM YEARS OF TESTING IN ACCORDANCE WITH THE STANDARD DEMONSTRATES THAT CERTAIN FABRICS CONSISTENTLY YIELD ACCEPTABLE RESULTS WHEN TESTED IN ACCORDANCE WITH THE STANDARD. THEREFORE, PERSONS AND FIRMS ISSUING AN INITIAL GUARANTY OF ANY OF THE FOLLOWING TYPES OF FABRICS, OR OF PRODUCTS MADE ENTIRELY FROM ONE OR MORE OF THESE FABRICS ARE EXEMPT FROM ANY REQUIREMENT FOR TESTING TO SUPPORT GUARANTIES OF THOSE FABRICS.</p> <p>1. PLAIN SURFACE FABRICS, REGARDLESS OF FIBER CONTENT, WEIGHING 2.6 OUNCES PER SQUARE YARD OR MORE; AND</p> <p>2. ALL FABRICS, BOTH PLAIN SURFACE AND RAISED-FIBER SURFACE, REGARDLESS OF WEIGHT, MADE ENTIRELY FROM ANY OF THE FOLLOWING FIBERS OR ENTIRELY FROM COMBINATION OF THE FOLLOWING FIBERS: ACRYLIC, MODACRYLIC, NYLON, OLEFIN, POLYESTER, WOOL.</p>		
Criteria	JCPY-SL-804.02-USA-3 Star-V22 (All colors) Class 1		
Graffiti Walk, LACE			



BUREAU VERITAS

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018

Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Classification	<p>IF SAMPLE FALLS UNDER SPECIFIC EXEMPTIONS AS LISTED BELOW, THE REPORT SHOULD BE RATED AS A PASS AND THE SPECIFIC EXEMPTION SHOULD BE NOTED IN THE REPORT.</p> <p>EXEMPT DUE TO FABRIC WEIGHT: PLAIN SURFACE WITH 2.6 OZ/SQ. YD. THE SUBMITTED SAMPLE(S) IS(ARE) EXEMPT FROM FLAMMABILITY TESTING IN ACCORDANCE WITH 16 CFR 1610.1(D) WHICH STATES:</p> <p>SPECIFIC EXEMPTIONS</p> <p>EXPERIENCE GAINED FROM YEARS OF TESTING IN ACCORDANCE WITH THE STANDARD DEMONSTRATES THAT CERTAIN FABRICS CONSISTENTLY YIELD ACCEPTABLE RESULTS WHEN TESTED IN ACCORDANCE WITH THE STANDARD. THEREFORE, PERSONS AND FIRMS ISSUING AN INITIAL GUARANTY OF ANY OF THE FOLLOWING TYPES OF FABRICS, OR OF PRODUCTS MADE ENTIRELY FROM ONE OR MORE OF THESE FABRICS ARE EXEMPT FROM ANY REQUIREMENT FOR TESTING TO SUPPORT GUARANTIES OF THOSE FABRICS.</p> <p>1. PLAIN SURFACE FABRICS, REGARDLESS OF FIBER CONTENT, WEIGHING 2.6 OUNCES PER SQUARE YARD OR MORE; AND</p> <p>2. ALL FABRICS, BOTH PLAIN SURFACE AND RAISED-FIBER SURFACE, REGARDLESS OF WEIGHT, MADE ENTIRELY FROM ANY OF THE FOLLOWING FIBERS OR ENTIRELY FROM COMBINATION OF THE FOLLOWING FIBERS: ACRYLIC, MODACRYLIC, NYLON, OLEFIN, POLYESTER, WOOL.</p>		
Criteria	JCPY-SL-501.02-USA-3 Star-V18 (All colors) Class 1		

Coral Escape, LACE

Classification	<p>IF SAMPLE FALLS UNDER SPECIFIC EXEMPTIONS AS LISTED BELOW, THE REPORT SHOULD BE RATED AS A PASS AND THE SPECIFIC EXEMPTION SHOULD BE NOTED IN THE REPORT.</p> <p>EXEMPT DUE TO FABRIC WEIGHT: PLAIN SURFACE WITH >2.6 OZ/SQ. YD. THE SUBMITTED SAMPLE(S) IS(ARE) EXEMPT FROM FLAMMABILITY TESTING IN ACCORDANCE WITH 16 CFR 1610.1(D) WHICH STATES:</p> <p>SPECIFIC EXEMPTIONS</p> <p>EXPERIENCE GAINED FROM YEARS OF TESTING IN ACCORDANCE WITH THE STANDARD DEMONSTRATES THAT CERTAIN FABRICS CONSISTENTLY YIELD ACCEPTABLE RESULTS WHEN TESTED IN ACCORDANCE WITH THE STANDARD. THEREFORE, PERSONS AND FIRMS ISSUING AN INITIAL GUARANTY OF ANY OF THE FOLLOWING TYPES OF FABRICS, OR OF PRODUCTS MADE ENTIRELY FROM ONE OR MORE OF THESE FABRICS ARE EXEMPT FROM ANY REQUIREMENT FOR TESTING TO SUPPORT GUARANTIES OF THOSE FABRICS.</p> <p>1. PLAIN SURFACE FABRICS, REGARDLESS OF FIBER CONTENT, WEIGHING 2.6 OUNCES PER SQUARE YARD OR MORE; AND</p> <p>2. ALL FABRICS, BOTH PLAIN SURFACE AND RAISED-FIBER SURFACE, REGARDLESS OF WEIGHT, MADE ENTIRELY FROM ANY OF THE FOLLOWING FIBERS OR ENTIRELY FROM COMBINATION OF THE FOLLOWING FIBERS: ACRYLIC, MODACRYLIC, NYLON, OLEFIN, POLYESTER, WOOL.</p>		
----------------	---	--	--

Fabric weight (ASTM D3776-09a (R2017))

Option C			DATA
Coral Escape			
Fabric weight (oz/yd ²)	JCPY-SL-501.02-USA-3 Star-V18 -5 to 10 % (Not Claim)	3.70 oz/yd ²	
Fabric weight (g/m ²)	-5 to 10 % (Not Claim)	125 g/m ²	



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Fabric weight (ASTM D3776-09a (R2017))			
Option C			
Graffiti Walk			DATA
Fabric weight (oz/yd ²)	JCPY-SL-804.02-USA-3 Star-V22 -5 to 10 % (Not Claim)	3.6 oz/yd ²	
Fabric weight (g/m ²)	-5 to 10 % (Not Claim)	122 g/m ²	

Fiber content analysis (AATCC 20-13/AATCC 20A-14)			
ASTM D1909 Moisture Regains Applied			FAIL
Graffiti Walk			
Submitted	JCPY-SL-804.02-USA-3 Star-V22	90% Nylon 10% Spandex* (As per garment label)	
Lab analysis	+/- 3% tolerance for Blend	(6818)311-0176 & based on test result: Body: 88.8% Nylon 11.2% Spandex Gusset Lining: 100% Cotton	
Remarks: The labeled fiber content for the submitted sample is recommended as		Body: 90% Nylon 10% Spandex Gusset Lining: 100% Cotton	

Appearance after care (CPSD-SL-31055-MTHD)			
Subjective, Hand Wash Cold, Line Dry, After 1 Wash			PASS
Coral Escape			
Color Change	JCPY-SL-501.02-USA-3 Star-V18 Min. Grade 3 (With uv suppressor)	Grade 4 With UV Suppressor	
Self Staining	Min. Grade 4	/	
Color Staining On Acetate	Min. Grade 3	Grade 4.5	
Color Staining On Cotton		Grade 4.5	
Color Staining On Nylon		Grade 4.5	
Color Staining On Polyester		Grade 4.5	
Color Staining On Acrylic		Grade 4.5	
Color Staining On Wool		Grade 4.5	
Pilling		Grade 4	
Any Observed Defects		Satisfactory	Overall Appearance: Satisfactory

Seam stretchability of knitted garments (AATCC/ASTM TS-015)					
Graffiti Walk					PASS
		Loading (lbf)	Mode of Failure		
Seams WAIST	JCPY-SL-804.02-USA-3 Star-V22 Loading Min. 6 lbf	12.6	STB		



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Appearance after care (CPSD-SL-31055-MTHD)			
Subjective, Hand Wash Cold, Line Dry, After 1 Wash			PASS
Graffiti Walk			
Color Change	JCPY-SL-804.02-USA-3 Star-V22 Min. Grade 3 (With uv suppressor)	Grade 4 With UV suppressor	
Self Staining	Min. Grade 4	Grade 4.5	
Color Staining On Acetate	Min. Grade 3	Grade 4.5	
Color Staining On Cotton		Grade 4.5	
Color Staining On Nylon		Grade 4.5	
Color Staining On Polyester		Grade 4.5	
Color Staining On Acrylic		Grade 4.5	
Color Staining On Wool		Grade 4.5	
Pilling		Grade 4	
Seam Puckering		Satisfactory	
Any Observed Defects		Overall Appearance: Satisfactory	

Dimensional changes on handwash (CPSD-SL-31042-MTHD)

Woolite Detergent, 1 Wash, At 27 Degree Celsius (80 Fahrenheit Temp), Line Dry					PASS
Graffiti Walk					
		Original	After washed	Dimensional Change(%)	
Garment	JCPY-SL-804.02-USA-3 Star-V22 Dimensional Change -6 to 1 %	14.3 inch	14.1 inch	-1.4	
WAIST					
FRONT RISE		6.1 inch	6 inch	-1.6	
BACK RISE		4.3 inch	4.3 inch	0	

Colorfastness to crocking (AATCC 8-16)

Coral Escape			PASS
Color staining-dry	JCPY-SL-501.02-USA-3 Star-V18 Min. Grade 4	Grade 4.5	
Color staining-wet	Min. Grade 3	Grade 4.5	



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Colorfastness to perspiration (AATCC 15-13)			
Multifiber No. 10, AATCC Gray Scale			PASS
Lining			
Coral Escape			
Color Change	JCPY-SL-501.02-USA-3 Star-V18 Min. Grade 3.5	Grade 4.5	
Self Staining	Min. Grade 4.5	/	
Color Staining On Acetate	Min. Grade 3	Grade 4.5	
Color Staining On Cotton		Grade 4.5	
Color Staining On Nylon		Grade 4.5	
Color Staining On Polyester		Grade 4.5	
Color Staining On Acrylic		Grade 4.5	
Color Staining On Wool		Grade 4.5	
Quick method for colorfastness to non-chlorine bleach (AATCC/ASTM TS-001)			
Lining			NOT TESTED
Graffiti Walk			
Color Change (Peroxide)	JCPY-SL-804.02-USA-3 Star-V22 Min. Grade 4	Not Tested	
Color Change (Perborate)		Not Tested	
Quick method for colorfastness to chlorine bleach (AATCC/ASTM TS-001)			
Lining			NOT TESTED
Graffiti Walk			
Color Change	JCPY-SL-804.02-USA-3 Star-V22 Min. Grade 4	Not Tested	
Colorfastness to crocking (AATCC 8-16)			
Graffiti Walk			PASS
Color staining-dry	JCPY-SL-804.02-USA-3 Star-V22 Min. Grade 3	Grade 4.5	
Color staining-wet	Min. Grade 2.5	Grade 4.5	



**BUREAU
VERITAS**

Test Report: (6818)319-0433 J. C. PENNEY PURCHASING CORPORATION

Received Date: November 15, 2018
Report Date: November 19, 2018

TEST RESULTS FOR LADIES LACE THONG.

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Colorfastness to perspiration (AATCC 15-13)			
Multifiber No. 10, AATCC Gray Scale			PASS
Lining			
Graffiti Walk			
Color Change	JCPY-SL-804.02-USA-3 Star-V22 Min. Grade 3.5	Grade 4.5	
Self Staining	Min. Grade 4.5	Grade 4.5	
Color Staining On Acetate	Min. Grade 3	Grade 4.5	
Color Staining On Cotton		Grade 4.5	
Color Staining On Nylon		Grade 4.5	
Color Staining On Polyester		Grade 4.5	
Color Staining On Acrylic		Grade 4.5	
Color Staining On Wool		Grade 4.5	

Colorfastness Rating

Color Change	Color Stain / Self Staining
5 - Negligible or No Change	5 - Negligible or No Staining
4 - Slightly Changed	4 - Slightly Stained
3 - Noticeably Changed	3 - Noticeably Stained
2 - Considerably Changed	2 - Considerably Stained
1 - Much Changed	1 - Heavily Stained




**BUREAU
VERITAS**

**FAILURE
PHOTO(S)**

**Test Report: (6818)319-0433
J. C. PENNEY PURCHASING CORPORATION**

Received Date: November 15, 2018
Report Date: November 19, 2018





**BUREAU
VERITAS**

**EXHIBIT
PHOTO(S)**

**Test Report: (6818)319-0433
J. C. PENNEY PURCHASING CORPORATION**

Received Date: November 15, 2018
Report Date: November 19, 2018



END OF REPORT